



## BEARING PRECISION AXLE CORP.

2.559 Inch | 65 Millimeter x 2.563 Inch | 65.1  
Millimeter x 3 Inch | 76.2 Millimeter NTN  
ucp213d1 Bearing



ucp213d1 Bearing 2D drawings and 3D CAD models

Bearing No. ucp213d1

Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	5.801
EAN	4547359001631
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Set Screw
Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	20 Millimeter
Relubricatable	Yes
Insert Part Number	UC213D1
Seals	Single Lip Land Riding
Housing Configuration	1 Piece Solid
Inch - Metric	Metric
Other Features	Single Row   Light Duty   Wide Inner Race   Has Flinger   Metric
Long Description	2 Bolt Pillow Block; 65MM Bore; 76.2MM Base to Center Height; Set Screw Mount; Ball Bearing;



## BEARING PRECISION AXLE CORP.

	Relubricatable; Cast Iron; Single Lip Land Riding; Non-expansion
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	<a href="http://www.ntnamerica.com">http://www.ntnamerica.com</a>
Manufacturer Item Number	UCP213D1
Weight / LBS	12.346
Actual Bolt Center to Center	8 Inch   203 Millimeter
d	2.559 Inch   65 Millimeter
Nominal Bolt Center to Center	8 Inch   203 Millimeter
D	2.563 Inch   65.1 Millimeter
B	3 Inch   76.2 Millimeter
mounting:	Two-Bolt Base
overall height:	151 mm
bore diameter:	65 mm
finish/coating:	Uncoated
bore type:	Round
overall width:	2-9/16 in
base to bore centerline:	3.0000 in
operating temperature range:	-15 to +100 ° C
duty type:	Light Duty
base width:	70 mm
housing material:	Cast Iron
bolt center-to-center length:	203 mm
locking device:	Set Screw
lubrication type:	Lubrication Fitting



## BEARING PRECISION AXLE CORP.

seal type:	Contact with Flinger
series:	UCP2
expansion type:	Non-Expansion Bearing (Fixed)
replacement bearing:	UC213D1
overall length:	265 mm